




LEADERS IN STYLE, SELECTION & CRAFTSMANSHIP

Model Shown: Artistry® Collection AR2SU in Ultra-Grain® Medium Finish with Square Grille Windows



STYLE, SELECTION & CRAFTSMANSHIP

Holmes Garage Door Company® offers a complete line of top quality doors including traditional raised panel doors, carriage house style doors, contemporary styles and commercial. With thousands of garage door designs to choose from, Holmes is Making it Easy to find and purchase the right door for your style!

3 THINGS TO CONSIDER WHEN CHOOSING YOUR NEXT GARAGE DOOR



CURB APPEAL

A garage door can represent as much as 30% of your home's front façade. Homes with forward-facing garages see immediate curb appeal.



VALUE

A new door can increase the value of your home by up to 4%.



ENERGY EFFICIENT & DURABLE

If your garage is attached to your home, an energy-efficient door can do more than lower energy costs: insulated doors are also quieter and more durable.



SAFETY, QUALITY & INNOVATION



Deep Embossed Panels

Natural woodgrain texture and detailed raised panel design enhance door's beauty.



Coped Edges

Custom Crafted Steel doors are designed with stylish beveled coped edges and decorative center grooves.



Ultra-Grain® Finish

Ultra-Grain® delivers the best of both worlds—the realism of natural wood with the low maintenance and energy-efficient benefits of insulated steel.



Decorative Windows

Inspired by current architectural trends, our windows add a new look to garage doors while complementing your home.



Rust-Prevention System

Unsurpassed rust-prevention system creates a virtually maintenance-free surface.



EZ-SET® Torsion Springs

Patented springs for easier, faster and safer installation. Eliminates the labor intensive and dangerous manual winding process.







WARMER

Industry-leading R-values of up to 20.4 provide year-round comfort and energy savings.



QUIETER

Just open a non-insulated garage door and then an Intellicore door, and you'll hear a huge difference.



STRONGER

A Holmes garage door featuring Intellicore is nearly twice as strong as a polystyrene door of the same thickness, so it will look better, longer.



Look for this symbol on select products that feature Intellicore®.



3 EASY STEPS TO CHOOSING YOUR NEW DOOR

1 CHOOSE YOUR DOOR STYLE

SPECIALTY OR STANDARD STEEL

See page 5 for examples of each door style.

2 CHOOSE YOUR CONSTRUCTION

DOOR CONSTRUCTION

	2" Polyurethane	1-3/8" Polyurethane	2" Polystyrene	1-3/8" Polystyrene	1-5/16" Polystyrene	Steel
FEATURES	*	-				
intellic@re						
Insulation Rating (R-value)/ Energy Efficiency	18.4–20.4	12.9	9.0	6.5	6.3	N/A
Security					≅	€
Noise Control	4	4	4	◄)	◄))	4))
Dent Resistance	6	K	6	6	6	6
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime	Limited Lifetime 25-year	Limited Lifetime 15-year

NOTE: Higher R-values mean increased energy efficiency, reduced noise, improved security and durability.

3 CUSTOMIZE YOUR DOOR







Colors Windows

Hardware

RESIDENTIAL GARAGE DOOR COLLECTIONS

SPECIALTY



Contemporary Collection

Glass and Aluminum Design with Durable Construction pas. 6-7



Glenmoor™ Collection LIMITED EDITION SERIES

Wood Look without the Wood Maintenance pgs. 8-9



Glenmoor™ Collection ULTRA-GRAIN® SERIES

Ultra-Grain® **Beauty Meets** Durability

pgs. 10-11



Settlers® Collection

Carriage House Designs in Low Maintenance Steel with Ultra-Grain® and Composite

pgs. 12-13



Artistrv® Collection

Steel Carriage **House Designs** Finish Option

pas. 14-15



Lodgewood® Collection

Wood Carriage House

pgs. 16-17

SPECIALTY



Flush Ultra-Grain® Collection

Insulated Steel with Ultra-Grain® **Finish Options** pg. 18



Decorative Hardware

Authentic Carriage House Accents pg. 19



Gold Series

Insulated Steel Three-Layer Construction pgs. 20-21



STANDARD STEEL



Silver Series

Insulated Steel Two-Layer Construction pg. 22



Bronze Series

Non-Insulated Steel One-Layer Construction pg. 22



Windows

Designer Classics and Snap-In pgs. 23-24

COMMERCIAL GARAGE DOOR COLLECTIONS



Sectional Doors

Commercial Sectional Steel pgs. 25-26



Roll-Up Doors

Steel Roll-Up

pg. 27


OTHER INFORMATION TO KNOW

Safety, Quality & Innovationpg. 3 How-To-Measure Informationpg. 28

CONTEMPORARY COLLECTION

Contemporary Collection doors combine aluminum and glass to create a sleek, modern look. Many glass and panel combinations are available for varying degrees of privacy.

DURABLE CONSTRUCTION



MODERN DESIGN... VIRTUALLY MAINTENANCE-FREE

Model Shown: Contemporary Collection Model AVI with Ultra-Grain® Dark Cherry Frame and Insulated Frosted Glass



Model Shown: Contemporary Collection Model AVI with Anodized Black Frame and Insulated Frosted Glass

- 2-1/8" thick, virtually maintenance-free, long-lasting aluminum frame.
- Most glass is acrylic or tempered. Available in single pane (Model AV) or insulated (Model AVI). NOTE: Non-insulated 1/4" mirrored or White laminate is available on Model AVI only.
- Model AV available with acrylic or non-insulated 1/8" tempered clear or frosted glass or solid aluminum panel options.
- Model AVI available with insulated tempered. non-insulated 1/4" mirrored or White laminate glass options.
- Tongue-and-groove joints and bottom weatherseal in a rust-proof aluminum retainer helps seal out the elements.
- Frames come standard in clear anodized or painted White, Commercial Brown or Bronze. Optional anodized Black, Ultra-Grain® finishes or powder coated available (additional cost).

WARRANTIES





MODELS



AV (Non-Insulated)

AVI (Insulated)

FRAME/HANDLE COLORS*





Painted White





Anodized Clear Aluminum





Bronze (Additional Cost)

Anodized Black (Additional Cost)

Ultra-Grain® Light Cherry (Additional Cost)

Ultra-Grain® Dark Cherry (Additional Cost)

GLASS/PANEL OPTIONS



Clear Glass*









Clear Acrylic



Frosted Glass*

Frosted Acrylic







Gray Tinted Glass*



Bronze Tinted Glass'





Gray Acrvlic





Clear Polygal®



Bronze Polygal®



Glass

Mirrored Glass

White Laminate



Clear Anodized (Aluminum Panel)



Ultra-Grain® Light Cherry (Aluminum Panel)



Ultra-Grain® Dark Cherry (Aluminum Panel)

^{*}Powder coated custom colors available upon request: call Customer Service for pricing

^{*}Available in single pane or insulated glass.

White laminated and mirrored glass not available insulated. Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

Glennoor COLLECTION—

LIMITED EDITION SERIES

The Limited Edition Series provides the natural beauty of wood with the durability and energy-efficient benefits of composite and steel.

FIVE-LAYER CONSTRUCTION



WOOD LOOK... WITHOUT THE WOOD MAINTENANCE

Model Shown: Glenmoor™ Collection Limited Edition Series Design 12 with SQ23 Windows


- 5-layer intellicore polyurethane insulated composite faux wood doors – 20.4 R-value. Swing-out appearance - modern operation.
- Available in 15 door designs and 13 window or top sections for multiple door design options.
- · Composite cladding options include Clear Cypress, Mahogany and Pecky Cypress. Composite overlay options include Clear Cypress and Mahogany.
- Windows are standard with 1/8" DSB glass. Obscure, Seeded and Insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, guiet, long-lasting operation.
- · Comes factory finished in Walnut, Dark or Medium Finish; door can also be ordered in Whitewash Finish (Mahogany only) or primed for homeowners wishing to custom paint or stain their doors.

WARRANTIES






DECORATIVE HARDWARE




Additional hardware options are available; see page 19.

DOOR DESIGNS



Doors shown in Dark Finish with Clear Cypress composite cladding and Clear Cypress composite overlay. Design 01 does not have an overlay.

WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTIONS



COLORS











Due to the printing process, colors may vary. *Whitewash Finish available

only on Mahogany

cladding and overlays

Medium Whitewash Primed Walnut Dark Finish Finish Finish Finish*


Glennoor — COLLECTION—

ULTRA-GRAIN® SERIES

Features a 2" polyurethane insulated steel base door with Ultra-Grain®, a durable and natural-looking woodgrain paint finish.


FOUR-LAYER CONSTRUCTION





- 4-layer intellicore polyurethane insulated faux wood doors – 18.4 R-value. Swing-out appearance – modern operation.
- Available in 14 door designs and 13 window or top sections for multiple door design options.
- Base steel options include Walnut and Medium Ultra-Grain® Finishes. Composite overlay available in Clear Cypress, stained to match base finish.
- Windows are standard with 1/8" DSB glass.
 Obscure, Seeded and Insulated glass options are also available.
- Attractive beveled edge clip-in grilles are removable for easy window cleaning.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.

DOOR DESIGNS




WARRANTIES








DECORATIVE HARDWARE



WINDOWS/TOP SECTION OPTIONS



MATERIAL DESIGN OPTION

OVERLAY —

Clear Cypress

Note: Cladding is not present on Ultra-Grain® Series Models.

ULTRA-GRAIN® STEEL COLORS Composite Overla





Composite Overlays and Window Grilles are finished in the same color as the Ultra-Grain® base door. Due to the printing process, colors may vary.

Settlers

COLLECTION

Settlers® Collection doors provide a traditional carriage house appearance with upward-acting functionality and durable construction.

FOUR-LAYER CONSTRUCTION



Polyurethane or Polystyrene Insulation

CARRIAGE HOUSE DESIGNS... DURABLE, RELIABLE CONSTRUCTION

Model Shown: Settlers® Collection SF22 with SQ23 Windows

- · Base door has a natural woodgrain texture, painted with a baked-on primer and polyester top coat.
- Detailed beveled, coped-edge overlay.
- Windows with complete overlay and true arch designs are available in double strength, insulated or obscure glass. Grilles are removable for ease of cleaning.
- Includes automatic opener reinforcement.
- EZ-SET® Torsion Springs standard on most sizes.
- SXU models have 2" intellicore polyurethane insulation (R-value = 18.4).
- SX models have 2" polystyrene insulation (R-value = 9.0).
- SF models have 1-3/8" polystyrene insulation (R-value = 6.5).

WARRANTIES











DECORATIVE HARDWARE







Optional



DOOR DESIGNS




WINDOWS/TOP SECTION OPTIONS



BASE DOOR/OVERLAY COLOR OPTIONS



Note: Door and overlay colors can be mixed and matched. Due to the printing process, colors may vary.



Model Shown: Artistry® Collection AR2LP in Standard White with ARCH1 Grille Windows

- Deep embossed stamped steel carriage house designs in short and long panel styles.
- Six construction types to choose from:
 - 2" thick three-layer intellicore polyurethane insulation (R-value = 18.4)
 - 1-3/8" thick three-layer intellicore polyurethane insulation (R-value = 12.9)
 - 2" thick three-layer polystyrene insulation (R-value = 9.0)
 - 1-3/8" thick three-layer polystyrene insulation (R-value = 6.5)
 - 24 or 25 gauge 1-5/16" thick two-layer polystyrene insulation (R-value = 6.3)
 - 24 or 25 gauge one-layer non-insulated
 Note: 25 gauge available only in short panel.
- Many window options available.
- Ultra-Grain[®] Finish available on select three-layer models.
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore® models.

WARRANTIES



AR1SP/AR1LP

AR4SV/AR4LV/

AR4S/AR4L

AR2SU/AR2LU/
AR1SU/AR1LU
AR2SP/AR2LP/








S ALL MODELS

ALL MODELS

DECORATIVE HARDWARE



DOOR DESIGNS Single door width shown.



Three-Layer AR2SU, AR1SU, AR2SP, AR1SP


Two-Layer AR4SV, AR5SV One-Layer AR4S, AR5S



Three-Layer AR2LU, AR1LU, AR2LP, AR1LP

Two-Layer AR4LV One-Layer AR4L

WINDOWS/TOP SECTION OPTIONS



Double door options also available.


COLOR OPTIONS



Lodgewood

The Lodgewood® Collection combines authentic wood designs with the functionality of an upward-acting sectional door.

HANDCRAFTED TWO-LAYER CONSTRUCTION



EXTRAORDINARY CRAFTSMANSHIP...
IMPRESSIVE APPEARANCE

Model Shown: Lodgewood® Collection Design 2 with SQ24 windows

- · Handcrafted 2-layer non-insulated wood doors in authentic carriage house designs. Swing-out appearance - modern operation.
- Available in 3 wood species. All stain grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Hemlock (paint grade and grooved) doors have Hemlock stiles and rails with exterior grade MDO plywood panels.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard with 1/8" DSB glass. Specialty glass options available.
- All doors can be factory primed or finish painted white. Factory stain available for stained grade wood species (additional cost).

WARRANTIES





DECORATIVE HARDWARE





Spade Step

Plate

Optional

Decorative Handles with

Handles



Fleur de Lis

Handles

Lion's Head Door Knocker

Keyholes Fleur de Lis Fleur de Lis Step Plate

Strap Hinge

Additional hardware options are available; see page 19.

OPTIONAL FACTORY STAINING*











Not all wood types stain equally and all stain colors will vary in appearance on all wood types. Variations in color will occur from printed material to actual doors, or even from door to door. *Additional cost

Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors. Doors must be painted or stained on all six sides prior to installation. Failure to follow, the installation and maintenance instructions will void the warranty. Please refer to the installation and maintenance manual for additional information about caring for a wood door.

DOOR DESIGNS





Design 2



Design 1

Design 3

Design 4

Design 5

Design 6

WINDOWS/TOP SECTION OPTIONS

Single Car Door Options














Double Car Door Options Solid










RFC14



MATERIAL OPTIONS





Paint Grade and Grooved doors cannot be stained.

FLUSH ULTRA-GRAIN®

Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability.



CONSTRUCTION AND FINISH

- Three construction types to choose from:
 - 2" thick three-layer intellicore polyurethane insulation (R-value = 18.4)
 - 2" thick three-layer polystyrene insulation (R-value = 9.0)
 - 1-3/8" thick three-layer polystyrene insulation (R-value = 6.5)
- Many window options available.
- Ultra-Grain® painted steel surface with woodgrain texture simulates a real stained door without the need of staining or the ongoing maintenance of wood.
- Additional hardware options are available; see page 19.

WARRANTIES







THREE-LAYER CONSTRUCTION




DOOR STYLE



Flush Panel - Models 7202, 6202, 6132

WINDOWS/TOP SECTION OPTIONS



COLOR OPTIONS



Ultra-Grain® Medium Finish



Ultra-Grain® Walnut Finish

Due to the printing process, colors may vary.


DECORATIVE HARDWARE

Attractive black powder coated grip handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks, strap hinges, door knockers and studs, are available to provide the look of a classic carriage house door.

		С	ollecti	on Ava	ailabili	ity		
	Hardware Description	GLENMOOR" COLLECTION	SETTLERS® COLLECTION	ARTISTRY® COLLECTION	LODGEWOOD [®] COLLECTION	FLUSH ULTRA-GRAIN® COLLECTION		
STA	NDARD						Y Y	4
1	Standard Spade Lift Handles	~	~	~	~	~	◆	
2	Standard Spade Step Plate	~	~	~	~	~	2	5
0PT	IONAL							
3	Spade Strap Hinge*	~	~	~	~	~		
4	Twisted "L" Handles	~	~	~	~	~	• •	
5	Twisted "T" Handle			~		~	7 8	
6	Escutcheon Plate(s)	~	~	~	~	~		9 10 11
7	Diamond Resin Clavos*	V	~		~			
8	Round Resin Clavos*	~	~		~		12	17
9	Ring Door Knocker	V	V		~			18
10	Ring Knocker with Plate	~	~		~			88
11	Lion's Head Door Knocker	~	~		~			44 - 19 A
12	Decorative Handles with Keyhole	~	~		~			
13	Sliding Bolt	~	~		~		13	20
14	Spear Lift Handles	~	~	~	~	~	" Man O	21
15	Spear Step Plate	V	V	V	~	~		
16	Spear Strap Hinge*	~	~	~	~	~	14	22
17	Fleur de Lis Handles	V	V		~			
18	Fleur de Lis Step Plate	~	~		~		11	23 🏚 🏚
19	Fleur de Lis Strap Hinge*†	~	~		~		1.1	
20	Colonial Lift Handles	~	~	~	~	~	• •	
21	Colonial Step Plate	~	V	V	~	~		25
22	Colonial Strap Hinge*	~	~	~	~	~		• •
23	Olde Door Pull Handles	V	~	~	~	~	15	24 🚓 🚓
24	Gate Latch Handles	~	~	~	~	~		
25	Mediterranean Strap Hinge*†	~					•	26 T
26	Tuscan Strap Hinge*†	~					16	20

^{*}Door may not open properly if installed near the top depending on opening dimensions and lift type.

[†] Hardware may not fit on all door designs.



- Elegant Raised, Long and Flush panel designs for improved curb appeal
- Three-layer construction provides maximum energy efficiency, the quietest operation and superior durability
- Prefinished, stucco textured flush interior for beauty inside and out
- 7200, 7203 and 7201 have 2" intellicore polyurethane insulation (R-value = 18.4)
- 7130, 7133 and 7131 have 1-3/8" intellicere polyurethane insulation (R-value = 12.9)
- 6200, 6203 and 6201 have 2" polystyrene insulation (R-value = 9.0)
- 6130, 6133 and 6131 have 1-3/8" polystyrene insulation (R-value = 6.5)
- All models can be painted to match your home's exterior. Please visit http://info.garagedoors.com/lrv for paint instructions on Intellicore® models.

WARRANTIES








DOOR STYLES



Elegant Raised Panel - Models 7200, 7130, 6200 and 6130



Elegant Long Panel - Models 7203, 7133, 6203 and 6133



Flush Panel - Models 7201, 7131, 6201 and 6131



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



^{*}Not available on all models; contact customer service for availability.

WINDOWS









Designer Classics-Wrought Iron

Designer Inserts

[†] Popular in select markets, Glacier White is a brighter white.

SILVER SERIES BRONZE SERIES

Residential garage doors are available with or without insulation.



CONSTRUCTION AND FINISH

- Two-layer construction for energy efficiency and enhanced durability
- Thick vinyl-backed polystyrene insulation for added energy efficiency
- 5500 and 5503 have 1-5/16" polystyrene insulation (R-value = 6.3)
- 5200 and 5203 have 7/8" polystyrene insulation (R-value = 4.4)



CONSTRUCTION AND FINISH

- One-layer steel construction is durable and economical
- Traditional Raised and Long panel designs for improved curb appeal
- Woodgrain textured Short and Long Raised panel designs complement traditional home styles

DOOR STYLES



Traditional Raised Panel - Models 5500, 5200, 4200



Traditional Long Panel - Models 5503, 5203, 4203



Decorative panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

COLOR OPTIONS



Due to the printing process, colors may vary.

WINDOWS



Designer Inserts Designer Classics-Wrought Iron

Additional window designs available: see pages 23-24.

WARRANTIES



5500/5200/ 5503/5203




ALL MODELS

4200/4203

ALL MODELS

WINDOW SELECTION GUIDE

Add a personal touch with designer window lites. Available only on GOLD, SILVER & BRONZE Series.



See next page for designer window options.


WINDOW SELECTION GUIDE

Add a personal touch with designer window lites. Available only on GOLD, SILVER & BRONZE Series.

DESIGNER CLASSICS

For a touch of elegance, choose our Designer Classics options.

SHORT Solitaire Marquise Trillian Trenton® Ashford® Kristin® Roselle® Carlisle[®] Tuscany* Orleans'



GOLD SERIES

Three-layer construction provides a durable, quiet and energy-efficient door for your commercial applications.



CONSTRUCTION AND FINISH

- 2" or 1-3/8" thick intellicore polyurethane insulation (R-values = 18.4, 12.9, respectively)
- 2" or 1-3/8" thick polystyrene insulation (R-values = 9.0, 6.5, respectively)
- Insulation is pressure-bonded between two layers of steel
- · Superior strength and durability
- · Maximum energy efficiency and quietest operation
- Two panel styles and seven colors available
- Commercial-duty rollers
- · Heavy-duty commercial track, hardware and springs




DOOR STYLES



Holmes 240U, 240, 210U, 210 Shallow Ribbed Panel*



Holmes 250G, 230G Elegant Raised Panel







SILVER SERIES BRONZE SERIES

Commercial ribbed doors are available with or without insulation.



CONSTRUCTION AND FINISH

- 1-3/8" thick steel-backed polystyrene insulation (R-value = 6.6) is behind an exterior steel skin
- Added energy efficiency
- · Commercial-duty rollers
- · Heavy-duty commercial track, hardware and springs



CONSTRUCTION AND FINISH

- Durable and economical steel construction
- Commercial-duty rollers
- · Heavy-duty commercial track, hardware and springs



DOOR STYLES



Holmes 224V, 224S, 225V, 225S Ribbed Panel



Holmes 224, 225 Ribbed Panel

COLOR OPTIONS



Chocolate

Due to the printing process, colors may vary.



GOLD SERIES

- Trucking Terminals
- Post Frame Buildings
- Light Industrial Warehousing
- Job Site Trailers
- Farm Machinery Storage Sheds
- Available in sizes 2' wide x 2' high through 18' wide x 18' high



BRONZE SERIES

- Yard Barns
- Mini-Warehouses
- Storage Sheds
- Boat Houses
- Other Light-Duty Applications
- Available in sizes 2' wide x 2' high through 12' wide x 14' high

SILICONIZED POLYESTER PAINT* 19 finishes complement any building

Glossy White	White	Silhouette Gray	Buckskin	Desert Tan
Continental Brown	Bronze	Cedar Red	Valentine Red	Tangerine
Sunset Orange	Marine Green	Teal	Dark Teal	Fern Green
Evergreen	Forest Green	Royal Blue	Polar Blue	*Due to the printing process, colors may vary

HOW TO MEASURE YOUR DOOR

 Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width:	
Height:	

2. Measure for sideroom: 3-3/4" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® Torsion Spring. 5-1/2" is required for EZ-SET® Extension Spring.

_


3. Measure area labeled "headroom" distance between the top of the door opening ("jamb header") and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® Extension Spring; 12" on standard torsion springs and EZ-SET® Torsion Spring. 14" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® Extension Spring). EZ-SET® Torsion Spring low headroom requirement is 9-1/2". Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Existing headroom:	
Headroom needed:	

4. Measure area labeled "backroom" – distance is measured from the garage door opening toward the back wall of the garage.

Rac	kroom:		

Common garage door sizes include 8' wide x 7' high, 9' wide x 7' high, and 16' wide x 7' high. Holmes manufactures most doors in nearly any size you require.



HOW TO MEASURE DIAGRAM



Excellence Since 1920™

For answers about choosing, installing and maintaining Holmes Garage Doors, visit us at **www.holmesgaragedoor.com** or call the Holmes Helpline® at 800-557-0488.



In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos, illustrations and available options may sometimes differ from present models.