

Metal Panels

Metal Panels Table of Contents

ABM Panel - G100.....	PAN3	1 ¼" Corrugated	PAN6
ABM Panel - Texture	PAN3	2 ½" Corrugated	PAN6
ABSeam	PAN4	RainLock.....	PAN6
ABSeam - Texture	PAN4	Everdrain	PAN7
PBR Panel.....	PAN5	8" Double Rib.....	PAN7
A Panel	PAN5	9" Double Rib.....	PAN7
R Panel - Texture.....	PAN5	12" Double Rib	PAN7
5-V Crimp.....	PAN6	Copper Plus	PAN8

ABM Panel - G100

Acc

By far our most popular panel, the ABM Panel is an exposed fastener panel where the screws are visible. 36" wide coverage. Available in custom lengths up to 48 feet. Available in over 30 Energy Star qualifying colors.



EXTERIOR
Premium G-100

EXTERIOR
Standard Grade

INTERIOR
Economy Grade

PREMIUM GRADE G-100:


Heavy galvanized-coated 28 gauge steel with 40-year paint warranty and 10-year edge-rust warranty

STANDARD GRADE


AZ50 Galvalume coated steel with 40-year paint warranty

ECONOMY GRADE

Paint-primed seconds with possible visual defects - no warranty



Approximately $\frac{3}{4}$ " high major ribs on 9" centers with two 1" wide minor between each. Overlap has an antisiphon break for leak free application above 3:12 pitch.



CAUTION!

Improper overlap installation will cause leaks and may void the panel warranty



ABM Panel - Texture

ATcc

The unique texture redirects light for enhanced visual depth, promising a step-change improvement over flat-panels' appearance.

For all its beauty, it features an enduring weatherability to resist fading and chalking.



ABSeam

EScc

Our durable 24ga. ABSeam Panel is the ultimate choice for a beautiful, long-lasting standing-seam metal roof. Thanks to the ABSeam clip system, no screws or punctures are visible to the eye or exposed to the elements, preventing almost all opportunities for leaks. This panel is a popular choice with new construction and restoration projects nationwide.


23 Energy Star rated colors with 40-year paint warranties.

19.5" max coverage • 1.5" max rib height

(Can be customized down to 11.5" coverage • 1.5" or 1" rib height)

Why Fluropon®?

For over 50 years, finishes based on Fluropon® resin have helped protect commercial, industrial, and residential buildings around the world. No other coating system withstands the rigors of nature and time like those based on Fluropon® resins. This highperformance fluoropolymer resin, with its extraordinary capability to retain color and gloss, keeps painted metal looking vibrant and appealing for decades.



ABSeam - Texture


ESCFTcc

The unique texture redirects light for enhanced visual depth, promising a step-change improvement over flat-panels' appearance.

For all its beauty, it features an enduring weatherability to resist fading and chalking.



Standard: 16 1/2" Wide Coverage • 1 1/2" High Rib




PBR Panel

PBRcc

The PBR panel performs superbly on roof pitches as low as 1:12 and on spans up to 4' for 26^{ga.}, up to 5' spans for 24^{ga.}. For roof applications, our PBR panel provides extra support at the lap. Sealant tape and stitch screws are required for improved leak resistance. PBR panel is used mostly for steel frame buildings but is also used on wood frame buildings.

Available in 18 Energy Star qualifying colors.



A Panel

PBRAcc

The A Panel is practically identical to the PBR panel, but in reverse. The paint is on the opposite side and is meant to be installed upside-down as it were. The A Panel is used more frequently as siding to commercial and industrial steel framed structures.

Available in 18 Energy Star qualifying colors.




R Panel - Texture

PRTcc

The R panel starts out approximately 1" narrower and does not have the extra purlin-bearing leg.

The unique texture redirects light for enhanced visual depth, promising a step-change improvement over flat-panels' appearance.


For all its beauty, it features an enduring weatherability to resist fading and chalking. Available in 18 Energy Star qualifying colors.





5-V Crimp

Part#	Description	Coverage	Length
FS5V8	Galvanized 5V Crimp (Spangle may vary)	24"	8'
FS5V10	Galvanized 5V Crimp (Spangle may vary)	24"	10'
FS5V12	Galvanized 5V Crimp (Spangle may vary)	24"	12'
FS5VC24	Painted 5V Crimp (Allow 2 Week Lead-times)	24"	



1 1/4" Corrugated

Part#	Description	Coverage	Length
FSC1258	1-1/4" Corrugated Galvanized Panel	24"	8'
FSC12510	1-1/4" Corrugated Galvanized Panel	24"	10'
FSC12512	1-1/4" Corrugated Galvanized Panel	24"	12'




2 1/2" Corrugated

Part#	Description	Coverage	Length
FSC258	2-1/2" Corrugated Galvanized Panel	24"	8'
FSC2510	2-1/2" Corrugated Galvanized Panel	24"	10'
FSC2512	2-1/2" Corrugated Galvanized Panel	24"	12'



RainLock

Part#	Description	Coverage	Length
FSABOX8	.018 Aluminum Panels - 2.667" Center Rib - Flat Top/Btm	48"	8'
FSABOX10	.018 Aluminum Panels - 2.667" Center Rib - Flat Top/Btm	48"	10'
FSABOX12	.018 Aluminum Panels - 2.667" Center Rib - Flat Top/Btm	48"	12'
FSABOX14	.018 Aluminum Panels - 2.667" Center Rib - Flat Top/Btm	48"	14'
FSABOX16	.018 Aluminum Panels - 2.667" Center Rib - Flat Top/Btm	48"	16'



Everdrain

Special order colors are as follows:

Ash Gray (AG), Black (BL), Beige (BG), Brown (BN), Burgundy (BU), Bronze (BZ), Charcoal (CH), Clay (CL), Galvalume (GV), Ivy (IV), Lightstone (LS), Ocean Blue (OB), Red (RD), Slate (SL), Tan (TN), and Bright White (WH). Allow 1-2 weeks lead time.




Part#	Description	Coverage	Length
EDGV12	Galvanized Everdrain Panels - 6" Rib Spacing	38"	12'
EDGV16	Galvanized Everdrain Panels - 6" Rib Spacing	38"	16'
EDWH12	Brite White Everdrain Panels - 6" Rib Spacing	38"	12'
EDWH16	Brite White Everdrain Panels - 6" Rib Spacing	38"	16'
EDcc	Special Order Color Everdrain Panels - 6" Rib Spacing	38"	Custom



8" Double Rib



Part#	Description	Coverage	Length
FSATWIN8	Aluminum Panels 8" Double Rib Spacing	48"	8'
FSATWIN10	Aluminum Panels 8" Double Rib Spacing	48"	10'
FSATWIN12	Aluminum Panels 8" Double Rib Spacing	48"	12'
FSATWIN14	Aluminum Panels 8" Double Rib Spacing	48"	14'



9" Double Rib

Special order custom lengths available with 1-2 week lead times.



Part#	Description	Coverage	Length
FSARIBI10	Aluminum Panels 9" Double Rib Spacing	36"	8'
FSARIBI12	Aluminum Panels 9" Double Rib Spacing	36"	10'
FSARIBI14	Aluminum Panels 9" Double Rib Spacing	36"	12'
FSARIBI16	Aluminum Panels 9" Double Rib Spacing	36"	14'




12" Double Rib

Special order custom lengths available with 1-3 day lead times.



Part#	Description	Coverage	Length
AWS0188	.018 Diamond Embossed Aluminum 12" Double Rib Spacing	36"	8'
AWS01810	.018 Diamond Embossed Aluminum 12" Double Rib Spacing	36"	10'
AWS01812	.018 Diamond Embossed Aluminum 12" Double Rib Spacing	36"	12'
AWS01814	.018 Diamond Embossed Aluminum 12" Double Rib Spacing	36"	14'
AWS01816	.018 Diamond Embossed Aluminum 12" Double Rib Spacing	36"	16'





10% COPPER
80% STAINLESS STEEL
10% COPPER



Copper Plus

Developed in the 1960s, CopperPlus is one of the great success stories you may have never heard. First and foremost, this product is real copper... PLUS something more. By incorporating a core of Type 430 stainless steel, metallurgically roll bonded with two layers of copper, the resulting innovative metallic composite strip offers unprecedented design flexibility.

Features

- Classic beauty
- Higher strength
- Greater durability
- Lighter weight
- Reduced thermal expansion and contraction (minimizing "oil canning")
- Improved solder joints
- Unlimited formability
- Lower cost