

Plastic Ceilings & Walls





Palram Multi Wall

Multi Wall

Part#	Description	Coverage	Length
SKSM648	6mm (1/4") Multi-Wall Polycarbonate	4'	8'
SKSM6410	6mm (1/4") Multi-Wall Polycarbonate	4'	10'
SKSM6412	6mm (1/4") Multi-Wall Polycarbonate	4'	12'
SKSM848	8mm (5/16") Multi-Wall Polycarbonate	4'	8'
SKSM8410	8mm (5/16") Multi-Wall Polycarbonate	4'	10'
SKSM8412	8mm (5/16") Multi-Wall Polycarbonate	4'	12'


Multi Wall Trim

Part#	Description	Length
SK6H	6mm H Channel Clear for Multi-Wall connector/divider	12'
SK6J	6mm J Cap Clear Polycarbonate for Multi-Wall	12'
SK8H	8mm H Channel Clear for Multi-Wall connector/divider	12'
SK8J	8mm J Cap Clear Polycarbonate for Multi-Wall	12'

TrussCore™

Wherever you need a smooth finish that is easy to clean, low maintenance and abuse resistant, TRUSSCORE PVC Sanitary Wall and Ceiling Panel has your project covered. 16" wide, 1/2" thick, and comes in standard 10', 12', 14', 16', and 20' lengths. Custom lengths are available.

Trusscore's unique tongue-and-groove interlocking system makes both vertical and horizontal installation quick and easy.




TrussCore

Part#	Description	Coverage	Length
TC1016	Trusscore Pvc Liner Panel - 1/2" thick	16"	10'
TC1216	Trusscore Pvc Liner Panel - 1/2" thick	16"	12'
TC1416	Trusscore Pvc Liner Panel - 1/2" thick	16"	14'
TC1616	Trusscore Pvc Liner Panel - 1/2" thick	16"	16'
TC2016	Trusscore Pvc Liner Panel - 1/2" thick	16"	20'




TrussCore Trim




Inside Corner

TCICTRIM




Base Trim

TCBTRIM




Inside/Outside Corner

TCIOCTRIM




J Channel

TCJTRIM



Outside Corner

TCOCTRIM



H Divider

TCHTRIM



TrussCore Trim



Ag-Tuf® / Ag-Tuf® UV

Ag-Tuf® corrugated PVC liner panel allows efficient cladding of structures with many benefits for all types of agricultural professionals. From hog barns to dairy sheds, from poultry houses to wineries and more, Ag-Tuf® and Ag-Tuf® UV hold up where other products won't. Ag-Tuf®'s resistance to chemicals allows for frequent cleaning and sanitary maintenance, as well as extended service in harsh chemical environments.

Ag-Tuf® panels are extremely easy to install and maintain using ordinary tools, while preserving its attractive glossy appearance over a long period of time.


Ag-Tuf® carries a 10-Year Manufacturer's Limited Warranty.

Ag-Tuf® UV carries a 5-Year Limited Warranty.




Ag-Tuf® UV 9" Rib Spacing (to match ABM Panel)

Part#	Description	Thickness	Coverage	Length
ATHWH8	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	8'-2"
ATHWH10	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	10'-2"
ATHWH12	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	12'-2"
ATHWH14	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	14'-2"
ATHWH16	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	16'-4"
ATHWH20	White PVC Ag-Tuf UV - 9" Rib Centers - 3/4" High	1mm	36"	20'-4"



Ag-Tuf® 3" Rib Spacing

Part#	Description	Thickness	Coverage	Length
ATWH8	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	8'-2"
ATWH10	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	10'-2"
ATWH12	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	12'-2"
ATWH14	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	14'-2"
ATWH16	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	16'-4"
ATWH20	White PVC Ag-Tuf - 3" Rib Centers - 3/4" High	.8 mm	36"	20'-4"





Tri-Ply Ceiling

One of the most cost-effective ceilings on the market

Great for use as a ceiling or sidewalls of your agricultural building. This washable, durable, flexible, woven poly material has a coating of poly on both sides of the woven material with one side white and one side black. Insulation can be blown on top of the Tri-ply with ease.



Try-Ply Ceiling

Part#	Description	Size
TPFC	Tri-Ply Fabrene Cloth - One Side Black One Side White	52" x 700'



Try-Ply Strapping

Part#	Description	Size	Length
TPSP	Tri-Ply White Poly Strapping	1/2" wide	7200'



Try-Ply Lath

Part#	Description	Size	Length
TPLPW	Tri-Ply Lath - White Painted 1 Side	1/2" x 1-1/2"	12'



FRP Glassboard - A Grade

Sequentia fiberglass reinforced wall and ceiling panels are durable, clean and easy to install. Sequentia FRP Panels are ideal for areas where cleanable and sanitary finish are essential.

Common Applications

- Commercial Kitchens
- Restaurants
- Restrooms
- Convenience Stores
- Locker Rooms
- Food Processing Plants

Features

- Mold & Mildew Resistant
- Meets USDA/FSIS Requirements
- Easy To Install
- Cleanable
- Durable



Part#	Description	Grade	Size
GBAP8	Almond Pebbled Glassboard - .090	A	4' x 8'
GBGP8	Gray Pebbled Glassboard - .090	A	4' x 8'
GBLO8	White Pebbled Glassboard - .375" Laminated On 3/8" OSB	A	4' x 8'
GBLPO8	White # 85 PWI Laminated to .32 White Fluted Polypropylene	A	4' x 8'
GBWP8	White Pebbled Glassboard - .090	A	4' x 8'
GBWS8	White Smooth Glassboard - .090	A	4' x 8'
GBWP9	White Pebbled Glassboard - .090	A	4' x 9'
GBAP10	Almond Pebbled Glassboard - .090	A	4' x 10'
GBGP10	Gray Pebbled Glassboard - .090	A	4' x 10'
GBLO10	White Pebbled Glassboard - .375" Laminated On 3/8" OSB	A	4' x 10'
GBLPO10	White # 85 PWI Laminated to .32 White Fluted Polypropylene	A	4' x 10'
GBWP10	White Pebbled Glassboard - .090	A	4' x 10'
GBWS10	White Smooth Glassboard - .090	A	4' x 10'
GBWP12	White Pebbled Glassboard - .090	A	4' x 12'
GBWS12	White Smooth Glassboard - .090	A	4' x 12'
GBROLL	White Pebbled Glassboard Roll	A	4' x 500'
GBROLL6	White Pebbled Glassboard Roll	A	6' x 250'
GBROLL8	White Pebbled Glassboard Roll	A	8' x 250'
GBSO	Special Order Glassboard Color or Size		

PEBBLED EMBOSSED TEXTURE



WHITE | 1130

ALMOND | 1114



GRAY | 0048

SMOOTH TEXTURE



WHITE | 1130


ACTUAL COLORS MAY VARY.
REQUEST FREE COLOR SAMPLES.



GBCc8



GBC38



GBICA8



GBLICA



GBOCA8



GBLOCA



Glassboard End Caps

Part#	Description	Size
GBCA8	Almond Glassboard End Cap	8'
GBCA	Almond Glassboard End Cap	10'
GBCG	Gray Glassboard End Cap	10'
GBCW	White Glassboard End Cap	10'
GBC38	White End Cap for Glassboard on 3/8" Plywood	10'

Glassboard Division Bar

Part#	Description	Size
GBDBA8	Almond Glassboard Division Bar	8'
GBDBA	Almond Glassboard Division Bar	10'
GBDBG	Gray Glassboard Division Bar	10'
GBDBW	White Glassboard Division Bar	10'

Glassboard Inside Corners

Part#	Description	Size
GBICA8	Almond Glassboard Inside Corner	8'
GBICA	Almond Glassboard Inside Corner	10'
GBICG	Gray Glassboard Inside Corner	10'
GBICW	White Glassboard Inside Corner	10'
GBIC38	White Inside Corner for Glassboard on 3/8" Plywood	8' or 10'
GBLICA	Almond Glassboard Large Inside Corner	1.5" x 1.5" 10'
GBLICG	Gray Glassboard Large Inside Corner	1.5" x 1.5" 10'
GBLICW	White Glassboard Large Inside Corner	1.5" x 1.5" 10'

Glassboard Outside Corners

Part#	Description	Size
GBOCA8	Almond Glassboard Outside Corner	8'
GBOCA	Almond Glassboard Outside Corner	10'
GBOCG	Gray Glassboard Outside Corner	10'
GBOCW	White Glassboard Outside Corner	10'
GBOC38	White Outside Corner for Glassboard on 3/8" Plywood	8' or 10'
GBLOCA	Almond Glassboard Large Outside Corner	1.5" x 1.5" 10'
GBLOCG	Gray Glassboard Large Outside Corner	1.5" x 1.5" 10'
GBLOCW	White Glassboard Large Outside Corner	1.5" x 1.5" 10'

Glassboard Cove Moulding

Part#	Description	Size
GBCM	White Glassboard Cove Moulding	10'

FRP Screw



Glassboard Stainless Steel Pan-head Screws

Part#	Description	Size
GBS34	#8 Stainless Steel Pan-Head FRP Screws White	3/4"
GBS1	#8 Stainless Steel Pan-Head FRP Screws White	1"
GBS15	#8 Stainless Steel Pan-Head FRP Screws White	1-1/2"
GBS2	#8 Stainless Steel Pan-Head FRP Screws White	2"

FRRP Rivets



Glassboard Pop Rivets

Part#	Description	Size
GBR75	White Glassboard Rivets	3/4"
GBR75AL	Almond Glassboard Rivets	3/4"
GBR75GR	Gray Glassboard Rivets	3/4"
GBR1	White Glassboard Rivets	1"
GBR1AL	Almond Glassboard Rivets	1"
GBR1GR	Gray Glassboard Rivets	1"
GBR15	White Glassboard Rivets	1-1/2"
GBR15AL	Almond Glassboard Rivets	1-1/2"
GBR15GR	Gray Glassboard Rivets	1-1/2"
GBR2	White Glassboard Rivets	2"
GBR2AL	Almond Glassboard Rivets	2"