

House Wrap & Underlayment



A. B. MARTIN
ROOFING SUPPLY, LLC
Ephrata, Pa Newville, Pa
800-373-3703 800-782-2712
www.abmartin.net

House Wrap



Rexwrap Plus House Wrap

Part#	Description	Size
IHWR	House Wrap - Rexwrap Plus	9' x 100'



Tyvek® House Wrap

Unique material science helps prevent the infiltration of air and water, but lets water vapor escape to prevent rot and mold inside walls.

- 10-year limited warranty from DuPont.
- Easy to install

Part#	Description	Size
IHWT	House Wrap - Tyvek	9' x 100'



Tyvek® StuccoWrap®

Tyvek® StuccoWrap® WRB has an engineered, grooved surface that is designed to be installed as a drainage plane behind stucco facades and EIFS systems.

- 10-year limited warranty from DuPont.
- Superior water management that promotes stronger facades.

Part#	Description	Size
IHWTS	Stucco Wrap - Tyvek	5' x 200'


Felt Paper



Warrior Felt Paper

Part#	Description	Covers
IFP15	#15 Warrior Felt Paper	4 sq.
IFP30	#30 Warrior Felt Paper	2 sq.

Ice & Water



Ice & Water Protector Underlayment

- Smooth surface
- For use with metal roofs

Part#	Description	Size
IIWHT	High Temperature Ice & Water Protector - Henry Eaveguard	36" x 66.6'
IIWS	Ice & Water Protector - Alco Shield	36" x 66.6'



Tyvek® Protec™ 120

DuPont™ Tyvek® Protec™ engineered synthetic roofing underlayments offer high-performance with a variety of roofing materials, from metal roofing to asphalt shingles. The Tyvek Protec 120 features limited 30-year warranty. The unique embossed pattern allows for better traction and grip while walking on the roof. The bottom layer includes a slip-resistance coating providing grip to the roof deck. Accepts and holds chalk marks for more visible lines and a better-finished product.

Part#	Description	Size	Covers
IUL30	Tyvek Protec 120 Synthetic Roofing Underlayment	48" X 250'	10 sq.



Elephant Skin Synthetic Roofing Underlayment

- ASTM D226 & D4869 approved
- One of the best anti-slip surfaces on the market
- 180 day UV exposure
- Temp -30° to 220° Fahrenheit

Part#	Description	Size	Covers
IULE	Elephant Skin Synthetic Underlayment	42" x 286'	10 sq.



Rhino Roof Synthetic Roofing Underlayment

- ASTM D226 & D4869 approved
- Fiber grip slip-resistant

Part#	Description	Size	Covers
IULRHINO	Rhino Roof Synthetic Underlayment	42" x 286'	10 sq.



Titanium Synthetic Roofing Underlayment

- 6 month UV exposure
- 17 mill

Part#	Description	Size	Covers
IUL25	Titanium UDL25 Roof Synthetic Underlayment	48" x 250'	10 sq.



Henry Eaveguard Shingle Underlayment

- Split face backer
- Meets ASTM D1970
- Works for metal

Part#	Description	Size	Covers
IIWGH	Henry Eaveguard Shingle Underlayment (Blue Roll)	36" x 65'	195 sqft



Tyvek® Flashing Tape

Part#	Description	Size
IWW4T	Window Flashing Tape Tyvek Brand	4" x 75'



Tyvek® FlexWrap Flashing Tape

Part#	Description	Size
IWWF6T	Flexwrap Self-adhering Flashing Tape for Curved Windows	6" x 75'




Tyvek® Straight Flashing

Part#	Description	Size
IWW6TSF	Straight Flashing VF Tape used to Flash Brick Mould Doors	6" x 125'



Tyvek® House Wrap Tape

Part#	Description	Size
IHWTAPE	Tyvek House Wrap Tape - 2"	2" x 165'
IHWTAPE3	Tyvek House Wrap Tape - 3"	3" x 165'



Window Wrap Flashing Tape

Part#	Description	Size
IWWF6	Window Wrap Flex 70 Mil. Self-adhering Flashing Tape for Curved Windows	6" x 75'
IWW4	Window Wrap 25 Mil. Self-adhering Flashing Tape for Treated Skirt	4" x 75'
IWW6	Window Wrap 25 Mil. Self-adhering Flashing Tape for Window/Door	6" x 100'
IWW9	Window Wrap 25 Mil. Self-adhering Flashing Tape for Window/Door	9" x 100'



Peel & Seal

Part#	Description	Size
IPS12	Peel & Seal - Aluminum Coated	12" x 33'
IPS18	Peel & Seal - Aluminum Coated	18" x 33'
IPS36	Peel & Seal - Aluminum Coated	36" x 33.5'
IPS4	Peel & Seal - Aluminum Coated	4" x 33'
IPS6	Peel & Seal - Aluminum Coated	6" x 33'
IPS9	Peel & Seal - Aluminum Coated	9" x 33'
IPSW12	Peel & Seal - White Coated	12" x 33'
IPSW36	Peel & Seal - White Coated	36" x 33'