




POWDER-COATED HORSE STALL COMPONENTS



STALL WALL RAILS, WALL CAPS, AND CORNER ANGLES

Our full line of powder-coated black steel rails, caps, and angles lets you complete your stall system to suit your needs. Our heavy-duty stall wall rails attach easily to any post for receiving the ends of the stall wall planks. Wall caps prevent cribbing on any exposed plank edges. Corner angles make the ideal cribbing guard for wooden posts.



U-Channel

Chew Guard

Wall Brace

PART #	DESCRIPTION	SIZE	LENGTH
HSUC4	Black U Channel - 14 Ga.		4'
HSUC8	Black U Channel - 14 Ga.		8'
HSCG4	Black Chew Guard - 20 Ga.	1 ½" x 1 ½" Angle	4'
HSCG	Black Chew Guard - 20 Ga.	1 ½" x 1 ½" Angle	8'
HSWB4	Black Wall Brace		4'
HSWB	Black Wall Brace		8'



GRILLS & WINDOW GRILLS

WINDOW GRILLES

Our window grilles feature fully welded construction with 14 ga. powder-coated black galvanized steel. Window grilles, which are available in a size to fit most common window openings, allow you to safely include windows in your barn and stall designs. The pole spacing of the grilles prevents the horse from getting at the glass while still allowing the benifits of a window for fresh air and natural lighting.

PART #	DESCRIPTION	SIZE (W H)
HSWG32	3' x 2' Black Window Guard Grill	35.5" x 23.5"
HSWG33	3' x 3' Black Window Guard Grill	35.5" x 35.5"
HSWG3644	36" x 44" Black Window Guard Grill	35.5" x 43.5"
HSWG3648	3' x 4' Black Window Guard Grill	35.5 x 47.5"
HSWG43	4' x 3' Black Window Guard Grill	47.5" x 35.5"



GRILLE WITH FEEDER OPENING



PART #	DESCRIPTION	FEEDER OPENING	SIZE (W H)
HSG4FO	4' Grill with Feeder Opening	10" × 11"	48" x 34"

)

20LIN	UKILL

	PART #	DESCRIPTION	SIZE (W H)
HSGS2 2' Black Welded Grill Sectio		2' Black Welded Grill Section	24" x 34"
	HSGS4	4' Black Welded Grill Section - 14 ga	48" x 34"

SWING-OUT FEEDER DOOR



PART #	DESCRIPTION	SIZE (W H)
HSG2FD	2' Grill With Feeder Door	24" x 34"



STALL DOORS, DOOR TRACK, & TROLLEYS

DOOR FRAME WITH GRILL

DESCRIPT

HSD4G 4' Black [

PART #



DOOR FRAME WITH YOKE GRILL



SIZE

11" L x 1.25" W x 2.75" D

4' x 7'

Includes hyphenate powder-coated black Top Cap, Guide Channel, and Guide Pin. Tongue and Groove Lumber Not Included.

rion	SIZE	PART # DESCRIPTION
Door Frame	4' × 7'	HSYD 4' Black Yoke Door Frame


FLAT TRACK & TROLLEY SYSTEMS

Includes hyphenate powder-coated black

Tongue and Groove Lumber Not Included.

Top Cap, Guide Channel, and Guide Pin.

Perfect for that historical barn door look, with the option of the horseshoe or strap systems which include all the hardware needed. (6', 8', & 10' track available.)




TRACK & TROLLEY SYSTEMS

Your stall system will come with our easy-to-install weatherstrip track, powder-coated black to match the finish of your stalls. Your stall door will be carried by a pair of Delrin strap trolleys with the straps also coated to match the stalls. This self-cleaning and self-lubricating system is backed by a lifetime warranty on the track and trolleys.

PART #	DESCRIPTION	LENGTH
HSBWDT	Pair Black Strap Trolley (Without Endcaps	
HSBT8	Black Side Mount Track W/Hangers	8'
HSBTEC	Black Track End Cap	

K	TH		TETSL	TETSM
PART #	DESCRIPTION		S	ZE
TFTH	Black Flat T	rack U-Trolley	11.5" L x 9"	W x 2.75" D
TFTHM	Mini Black F	lat Track U-Trolley	7.5" L x 5.25	" W x 2.75" D
TFTSL	Black Flat T	rack Strap Trolley	14" L x 1.5	" W x 3.5" D



Mini Black Flat Track Strap Trolley


TFTSM


PART #	DESCRIPTION	SIZE
TFDH	Black Flat Track Door Handle with Six 1-¼" Screws	11" x 2"
TCFTU	Black Flat Track Bottom Guide U Keeper	2-1/4"
TCFDG	Black Flat Track Bottom Door Guide Stay Roller	
HSSRB	Black Adjustable Small Stay Roller	



DOOR KEEPS & Feed Accesories

Our welded steel keepers serve as the guides and stops for the stall door. The fully hidden design eliminates any exposed points that could injure your horses or yourself. They are easy to install. Simply position the keepers where desired and attach with the provided fasteners. There are no moving parts to wear out or break, and, like everything else, they are powder-coated black.





LUMBER

Beautiful & durable horse stalls constructed with tongue & groove southern yellow pine 2x6 or 2x8 lumber fronts and partitions. All wood is surfaced on 4 sides for a smooth finish. Use treated lumber for the bottom two rows to resist rot and decay from contact with ground and manure. Yellow Pine is a beautiful wood that provides unequaled strength and accepts finishes well. The tongue and groove design provides a unified construction for strength and durability. Combine this with our powder-coated grilles and accessories for a truly finished appearance.





TONGUE & GROOVE YELLOW PINE

Available in 2' increments

PART #	DESCRIPTION	SIZE	LENGTHS
LYP26**TG	#2 T&G Yellow Pine	2 x 6	10' - 16'
LYP28**1TG	#1 T&G Yellow Pine	2 x 8	10' - 16'
LYP28**TG	#2 T&G Yellow Pine	2 x 8	10' - 16'
LYP2816TGNOV	#2 T&G Yellow Pine (No V Groove)	2 x 8	16'

TREATED TONGUE & GROOVE YELLOW PINE

Available in 2' increments

PART #	DESCRIPTION	SIZE	LENGTHS
LT26**TG	Treated T&G Yellow Pine	2 x 6	10' - 16'
LT28**TG	Treated T&G Yellow Pine	2 x 8	12' & 16'



DUTCH DOORS

WOODEN, STEEL, AND ALUMINUM HINGED DOORS

The 4' x 7' split hinge door allows you to open both panels allowing horses to pass through, or just open top panel to allow fresh air and sunlight through and permit the horse to look out. All doors come fully pre-hung for easy installation.

WOOD DUTCH DOOR

- Comes with black chew guard.
- Hinges on Left or Right when standing on the outside, facing the door.
- This Tongue & Groove door can be painted or stained to match your building colors.
- Easy to install and easy to use.

PART #	DESCRIPTION	ROUGH OPENING	SIZE
DDWL	Wood Dutch Door W/Cross Buck	52" x 86.5"	4' x 7'
DDWR	Wood Dutch Door W/Cross Buck	52" x 86.5"	4' x 7'
DDW44	Wood Dutch Door W/Cross Buck		4' x 4'

STEEL DUTCH DOOR

- Powder-coated to the color combination of your choice.
- Will not rot.
- Heavy-duty.

PART #	DESCRIPTION	ROUGH OPENING*	SIZE
DDS44	Classic Steel Dutch Door - Half	48.25" x 42.75"	4' x 42"
DDS	Classic Steel Dutch Door	48.75" x 84.75"	4' x 7'

*Rough Opening size is 1/2" larger than actual size.

ALUMINUM DUTCH DOOR

- Lightweight but equal in strenght to steel
- Rust and rot proof
- Window options available
- · Made to the color combination of your choice

PART #	DESCRIPTION	ROUGH OPENING*	SIZE
DDA	Economy Aluminum Dutch Door	48.75" x 84.75"	4' x 7'

*Rough Opening size is 1/2" larger than actual size.








ALUMINUM SLIDING Dutch doors

ALUMINUM SPLIT SLIDER DUTCH DOOR - SPECIAL ORDER

- Economy or Elite Grade.
- Lightweight but equal in strenght to steel.
- Rust and rot proof.
- Tempered glass window options available including arch tops.
- Many Size and color combinations available.

PART # DESCRIPTIO

DDSS Aluminum Split Slider Dutch Door W/Window





METAL PANELS

AB SEAM

Our durable 24 ga. ABSeam Panel is the ultimate choice for a beautiful, long-lasting standing-seam metal roof.

Height: 1.5" ribs.

Width: Standard width is 19.5", but can be made narrower for smaller applications.

Gauge: 24 gauge steel.

Weight: Approx. 1lb per square foot.

Finish: Sherwin-Williams' Fluropon® PVDF system is backed with a 40-year limited paint warranty.






ABM PANEL

Heavy-duty steel - in over 30 energy-efficient colors with 40-year paint warranties - heat-formed and rolled to custom lengths in hours... not days.

The ABM Panel provides 36" wide coverage, and it is rolled to custom lengths from 1' to 48' in $\frac{1}{4}$ " increments. This means you're not paying for that extra 2' or $\frac{1}{2}$ " that you don't need. Plus, think of all the time you are saving by not having to make extra cuts.



Approximately 3/4" high major ribs on 9" centers with two 1" wide minor between each major rib for extra strength. The overlap has an antisiphon break for leak-free application with 3:12 slope and greater.



11

METAL PANELS

HERITAGE PANEL

Get a classic standing seam look with this exposed-fastener panel. Less expensive and easier to install than traditional standing seam panels, this panel offers a similar look while saving time and money.

Coverage: 35.5" Rib Height: 3/4" Steel Thickness: 26 Gauge Substrate: AZ50 Galvalume or G100 Galvanized Paint Warranty: 40 Years

METAL BOARD & BATTEN

AB Martin manufactures metal panels in the classic board & batten style. Historically, board & batten siding was made by placing narrow wooden strips ("battens") over a seam between wide boards.

While the traditional material was wood, board & batten today can be made of various materials including metal. Enjoy the traditional board & batten style combined with the longevity of metal!

Coverage: 10" Minimum Length: 3' Rib Height: 5/8" Gauge: 26 Substrate: AZ50 Galvalume Paint Warranty: 40 Years





CUPOLAS & WEATHERVANES


THE CHERRY ON TOP OF YOUR MASTERPIECE

- Custom designed to match your building colors
- Four standard sizes: 16", 24", 36", & 48" square.
- Louvered sides are standard.
- Pre-assembled for quick instalation.
- Windows are optional on 36" and 48" cupolas.
- Any base, wall, trim, and roof color combinations.
- Vented or solid weathervane base.
- Pre-installed heavy gauge base designed to support the cupola without additional framing or flashing, custom made to match to roof pitch.

ſS.				
	16" Cupola	24" Cupola	36" Cupola	48" Cupola

PART #	DESCRIPTION	SIZE	НЕІСНТ
CUP16	16" Standard Cupola	16" x 16"	25"
CUP24	24" Cupola	24" x 24"	36"
CUP36	36" Cupola	36" x 36"	48"
CUP48	48" Cupola	48" x 48"	61"

WEATHERVANES







EPHRATA 82 GARDEN SPOT ROAD EPHRATA, PA 17522 **717.445.6885** TOLL FREE: 800.373.3703 FAX: 717.977.5175

Distributed by