

ENTRY DOORS



Door Swing Guide

To determine **OUTSWING** - Face door from outside building

Left Hinge Outswing

Hinges are on the left.
Door opens toward you.



STANDING OUTSIDE BUILDING

Right Hinge Outswing

Hinges are on the right.
Door opens toward you.



STANDING OUTSIDE BUILDING

To determine **INSWING** - Face door from inside building

Left Hinge Inswing

Hinges are on the left.
Door opens toward you.



STANDING INSIDE BUILDING

Right Hinge Inswing

Hinges are on the right.
Door opens toward you.



STANDING INSIDE BUILDING

AJ/Canonball Door Swing Guide

Door handing is determined when standing on the key side facing the door.

Left Hand Reverse

Hinges are on the left.
Door opens toward you.



STANDING OUTSIDE BUILDING

Right Hand Reverse

Hinges are on the right.
Door opens toward you.



STANDING OUTSIDE BUILDING

Left Hand Inswing

Hinges are on the left.
Door opens away from you.



STANDING OUTSIDE BUILDING

Right Hand Inswing

Hinges are on the right.
Door opens away from you.



STANDING OUTSIDE BUILDING



DRWF30BL



DRWF6BR

Grizzly 6 Panel Pre Hung Door with Vinyl Jamb

The Grizzly Series Door features a vinyl jamb and brick moulding and fiberglass door skin which creates a long lasting, paintable door. An excellent choice for residential, agricultural, and storage applications.

- Exposed surfaces are vinyl or fiberglass that can be painted and will not rot.
- Comes with vinyl brick mold.
- Pre-hung for easy installation.
- R-8 insulated door panels.
- Prepped for lockset with a 2.75" backset.
- Weatherstrip ensures weather-tight installation.
- 25 year limited warranty.

| Part# | Description | Size | Handing | R/O Size |
|-----------|--|-------|--------------|-------------|
| DRWF26BL | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 26 68 | Left Hinge | 32½" x 82¾" |
| DRWF26BR | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 26 68 | Right Hinge | 32½" x 82¾" |
| DRWF28BL | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 28 68 | Left Hinge | 34½" x 82¾" |
| DRWF28BR | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 28 68 | Right Hinge | 34½" x 82¾" |
| DRWF3BL | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF3BL6J | 6 Panel Pre Hung Door 6-9/16" Vinyl Jamb - Inswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF3BLO | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Outswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF3BR | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF3BR6J | 6 Panel Pre Hung Door 6-9/16" Vinyl Jamb - Inswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF3BRO | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Outswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF6BL | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 60 68 | Left Active | 75" x 82¾" |
| DRWF6BR | 6 Panel Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 60 68 | Right Active | 75" x 82¾" |



DRWF39L



DRWF69R

Grizzly 9 Lite Pre Hung Door with Vinyl Jamb

- Exposed surfaces are vinyl or fiberglass that can be painted and will not rot.
- Comes with vinyl brick mold.
- Pre-hung for easy installation.
- R-8 insulated door panels.
- Prepped for lockset with a 2.75" backset.
- Weatherstrip ensures weather-tight installation.
- 25 year limited warranty.

| Part# | Description | Size | Handing | R/O Size |
|-----------|---|-------|--------------|-------------|
| DRWF289L | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 28 68 | Left Hinge | 34¾" x 82¾" |
| DRWF289R | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 28 68 | Right Hinge | 34¾" x 82¾" |
| DRWF39L | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF39R6J | 9 Lite Pre Hung Door 6-9/16" Vinyl Jamb - Inswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF39LO | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Outswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF39R | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF39L6J | 9 Lite Pre Hung Door 6-9/16" Vinyl Jamb - Inswing | 30 68 | Left Hinge | 38½" x 82¾" |
| DRWF39RO | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Outswing | 30 68 | Right Hinge | 38½" x 82¾" |
| DRWF69L | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 60 68 | Left Active | 75" x 82¾" |
| DRWF69R | 9 Lite Pre Hung Door 4-1/2" Vinyl Jamb - Inswing | 60 68 | Right Active | 75" x 82¾" |





Cannonball Fiberglass Door - #52

- 1-5/8" thick insulated capped edge panel with aluminum jamb, header, and threshold.
- Pre-hung on 3 fixed-pin hinges with universal swing.
- Bored for 2-1/8" lockset, nylon lockset insert, and fully weather-stripped.
- All doors individually packaged.

| Part# | Description | Size | Handing | R/O Size |
|------------|---|-------|-------------|--|
| D522468F | #52 Fiberglass Door Blank | 24 68 | Universal | 30 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D522668F | #52 Fiberglass Door Blank | 26 68 | Universal | 32 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D522868F | #52 Fiberglass Door Blank | 28 68 | Universal | 34 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523060F | #52 Fiberglass Door Blank | 30 60 | Universal | 38 ⁹ / ₁₆ " x 73 ³ / ₄ " |
| D523060FL | #52 Fiberglass Door w/ 20" x 24" Window | 30 60 | Left Hinge | 38 ⁹ / ₁₆ " x 74 ³ / ₄ " |
| D523060FR | #52 Fiberglass Door w/ 20" x 24" Window | 30 60 | Right Hinge | 38 ⁹ / ₁₆ " x 74 ³ / ₄ " |
| D523068F | #52 Fiberglass Door Blank | 30 68 | Universal | 38 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523068FLB | #52 Fiberglass Door w/ 22" x 36" Window | 30 68 | Left Hinge | 38 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523068FRB | #52 Fiberglass Door w/ 22" x 36" Window | 30 68 | Right Hinge | 38 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523668F | #52 Fiberglass Door Blank | 36 68 | Universal | 44 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523668FLB | #52 Fiberglass Door w/ 22" x 36" Window | 36 68 | Left Hinge | 44 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D523668FRB | #52 Fiberglass Door w/ 22" x 36" Window | 36 68 | Right Hinge | 44 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D524068F | #52 Fiberglass Door Blank | 40 68 | Universal | 50 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D524068FLB | #52 Fiberglass Door w/ 22" x 36" Window | 40 68 | Left Hinge | 50 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D524068FRB | #52 Fiberglass Door w/ 22" x 36" Window | 40 68 | Right Hinge | 50 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D526068F | #52 Fiberglass Door Blank | 60 68 | Universal | 75 ⁹ / ₁₆ " x 82 ³ / ₄ " |
| D526068FLB | #52 Fiberglass Door w/ 22" x 36" Window | 60 68 | Left Active | 75 ⁹ / ₁₆ " x 82 ³ / ₄ " |



Cannonball Steel Door - #1734

- Ideal for installing in sliding door.
- 1-3/4" thick insulated rolled edge panel.
- Pre-painted aluminum jamb with nailing flange jambs, header, and threshold.
- Pre-hung on 3 fixed-pin hinges.
- Bored for 2-1/8" lockset, nylon lockset insert, and fully weather-stripped.
- Screw holes pre-punched and screws included.
- Embossed 26 gauge steel skin.
- Universal swing (can be switched from outswing to inswing prior to installation)
- All doors individually packaged.

| Part# | Description | Size | Handing | R/O Size |
|----------|---------------------------------------|-------|-----------|---|
| D573060S | #1734 Steel Door Blank w/ 1-7/8" Jamb | 30 60 | Universal | 37 ¹³ / ₁₆ " x 73 ⁵ / ₈ " |
| D573068S | #1734 Steel Door Blank w/ 1-7/8" Jamb | 30 68 | Universal | 37 ¹³ / ₁₆ " x 81 ⁵ / ₈ " |



9 LITE



BLANK

AJ R51 Series White Steel Doors

- Pre-hung on a 16 ga galvanized steel frame.
- Mounted to the frame by three, 12 ga zinc plated steel 4" x 4-1/2" fixed pin hinges.
- Master frame comes weatherstripped with bulb gasket.
- R-11 insulated door panels.
- Universal swing (can be switched from outswing to inswing prior to installation)

| Part# | Description | Size | Handing | R/O Size |
|------------|--|-------|-------------|---------------------|
| D513068S | AJ R51 White Steel Door Blank | 30 68 | Universal | 39 1/6" x 81 3/8" |
| D513068S9L | AJ R51 White Steel Door w/ 22" x 30" 9 Lite Window | 30 68 | Left Hinge | 39 1/6" x 81 3/8" |
| D513068S9R | AJ R51 White Steel Door w/ 22" x 30" 9 Lite Window | 30 68 | Right Hinge | 39 1/6" x 81 3/8" |
| D516068S9L | AJ R51 White Steel Door w/ 22" x 30" 9 Lite Window | 60 68 | Left Hinge | 76 5/6" x 81 13/82" |
| D516068S9R | AJ R51 White Steel Door w/ 22" x 30" 9 Lite Window | 60 68 | Right Hinge | 76 5/6" x 81 13/82" |
| D516068SL | AJ R51 White Steel Door Blank | 60 68 | Left Hinge | 76 5/6" x 81 13/82" |
| D516068SR | AJ R51 White Steel Door Blank | 60 68 | Right Hinge | 76 5/6" x 81 13/82" |



9 LITE



BLANK

AJ 5100 Series White Commercial Steel Doors

- Pre-hung on a 16 ga 3-1/2" galvanized steel frame.
- 24 ga hot-dipped galvanized smooth steel panels.
- ADA compliant threshold.
- R-12 insulated door panels.
- Door panels is strengthened with extruded aluminum reinforcing block at locations for entry lock, dead bolt, panic hardware, and closer.
- High-strength internal fiberglass reinforced protruded stiles and rails for thermal break.
- Mounted to the frame by three, 12 ga stainless steel 4" x 4-1/2" fixed pin hinges.
- Master frame comes weatherstripped with bulb gasket.
- Universal swing (can be switched from outswing to inswing prior to installation)

| Part# | Description | Size | Handing | R/O Size |
|--------------|--|-------|-------------|-------------------|
| D51003068S | 5100 White Steel Door Blank | 30 68 | Universal | 40 1/8" x 81 3/8" |
| D51003068S9L | 5100 White Steel Door w/ 22" x 30" 9 Lite Window | 30 68 | Right Hinge | 40 5/6" x 81 1/8" |
| D51003068S9R | 5100 White Steel Door w/ 22" x 30" 9 Lite Window | 30 68 | Left Hinge | 40 5/6" x 81 1/8" |
| D5100SO | Special Order AJ 5100 Door - Size and Color | | | |

AJ 6068

| Part# | Description | Size | Handing |
|--------------|--|------|---|
| D51006068SL | AJ 5100 Series White Steel Door 6068 | | Left Hinge *V-Rod Panic Prepped/Lockset |
| D51006068SR | AJ 5100 Series White Steel Door 6068 | | Right Hinge *V-Rod Panic Prepped/Lockset |
| D51006068S9R | AJ 5100 Series White Steel Door 6068 22"x30" | | 9 Lite Window - Right Hinge *V-Rod Panic Prepped/Lockset |
| D51006068S9L | AJ 5100 Series White Steel Door 6068 22"x30" | | 9 Lite Window - Left Hinge *V-Rod Panic Prepped/Lockset |

AJ Ceiling Access Door

This high performance double wall ceiling access door is for buildings with an interior ceiling liner. The white 1" thick steel door panel has a white self-flashing pre-hung aluminum frame that can be mounted in trusses 24" or 48" on center.

- Hot dipped galvanized G60 steel skin
- 1" thick steel door with an expanded polystyrene core.
- White polyester painted steel sheet creates a seamless rigid panel with an insulating value of R6.5.

| Part# | Description | Size | R/O Size |
|-------|------------------------|---------|---------------------|
| DCAD | AJ Ceiling Access Door | 2' x 4' | 22 7/16" x 44 7/16" |



Interior Doors



Interior Doors

- Hollow core
- Available in white (pre-finished or easily painted)
- Brushed Nickel hinges, No Casing
- 4-⁹/₁₆" jamb.
- More options available for special order.
- **Pick up only. No deliveries.**

| Part# | Description | Handing | R/O Size |
|---------|---|-------------|---------------|
| DI2868L | Hollow Core 6 Panel Pre Hung Textured Interior Door | Left Hinge | 34" x 82-1/2" |
| DI2868R | Hollow Core 6 Panel Pre Hung Textured Interior Door | Right Hinge | 34" x 82-1/2" |
| DI3068L | Hollow Core 6 Panel Pre Hung Textured Interior Door | Left Hinge | 38" x 82-1/2" |
| DI3068R | Hollow Core 6 Panel Pre Hung Textured Interior Door | Right Hinge | 38" x 82-1/2" |





SPECIAL ORDER - VARYING LEAD TIMES

Special Order Exterior Fiberglass Door Window Options

- Non-stock special order fiberglass doors with unique window options.
- Pre-hung with either primed wood, pine, or vinyl jambs.
- Insulated door with wood grained fiberglass skin.
- Available in white (pre-finished or easily painted) and Tan (best for staining).
- 4-⁹/₁₆" and 6-⁹/₁₆" jambs.
- Allow 1-2 week lead times.

| Part# | Description |
|-------|--------------------------|
| DOOSO | Special Order Entry Door |

5-PANEL

9-LITE/2 PANEL

1-LITE 2236/2 PANEL

4-LITE/4 PANEL

11-LITE/2 PANEL

1-LITE ARCH/2 PANEL

5-LITE/4 PANEL

1-LITE ARCH 2210/2 PANEL

17-LITE

3-LITE ARCH 2264

15-LITE

1-LITE 2264

6-LITE/4 PANEL

VENT LITE 2236/ 2 PANEL

1-LITE HALF ARCH 2264 (LH/RH)

15-LITE HALF ARCH (LH/RH)

Available options
 Frame/Grid Color Options:
 White | Tan
 GBG (Grids between glass)
 also available
 BBG: (Blinds between glass)
 Rainglass
 Decorative Glass (Oval, Etc.)
 More options available -
 Please ask



Interior Doors

SPECIAL ORDER - VARYING LEAD TIMES

- Solid core option to reduce sound from traveling through your home and give you the feel of a solid wood door
- Textured and smooth surface options
- Doors are primed ready to paint any color you choose
- Matching bifold doors available



1 Panel
1 Top
1 Middle



1 Panel
1 Panel
1 Top



1 Panel
1 Panel
1 Panel



1 Panel
1 Panel
1 Panel



Interior Sliding Door - N186-960 and N186-966

| Part# | Description | Size |
|----------|---|------|
| YN186960 | Decorative Interior Sliding Door Hardware - Oil Rubbed Bronze | 72" |
| YN186966 | Decorative Interior Sliding Door Hardware - Satin Nickel with Black Wheel | 72" |



Interior Sliding Door - N186-962

| Part# | Description | Size |
|----------|---|------|
| YN186962 | Decorative Interior Sliding Door Hardware - Stainless Steel | 72" |

Door Accessories



Door Sweep

| Part# | Description |
|---------|---|
| D51DS | Door Sweeps 3100 Style for R51 series Doors - Top and Bottom the Same |
| D5100DS | Door Sweeps for D5100 series doors |



Header Snap Cap

| Part# | Description | Size |
|--------|--|------|
| D51WSH | Header Snap Cap Parting Stop with Weatherstripping - fits R51 Door | 36" |



Bulb Style Weatherstrip

| Part# | Description | Size |
|-------------|---|--------|
| D51WSSIDE | Side Weatherstrip Bulb Style Self Adhesive Fits AJ R51 Door | 79.94" |
| D51WSTOP | Header Weatherstrip Bulb Style Self Adhesive Fits AJ R51 Door | 36" |
| D5100WSH | Header Snap Cap parting Stop with Weatherstripping Fits AJ 5100 Door | 36" |
| D5100WSSIDE | Weatherstrip Bulb Style Push In Vertical Side Seal Fits 5100 Door | |
| D5100WSTOP | Weatherstrip Bulb Style Self Adhesive Vertical Top Sea Fits 5100 Door | |





Single Cylinder Deadbolt

| Part# | Description |
|-------|--------------------------|
| DLD | Single Cylinder Deadbolt |



Semi Flush Lock Set

A low profile lock set with a small lever for use with an inset in a sliding door.

| Part# | Description |
|-------|---|
| DLF | Semi Flush Lock Set For Entry Door Set In Sliding Doors |



Keyed Entrance Lever/Lever Latch

| Part# | Description |
|-------|----------------------------------|
| DLLS | Keyed Entrance Lever/Lever Latch |



Passage Lever/Lever Latch

| Part# | Description |
|-------|---------------------------|
| DLLPA | Passage Lever/Lever Latch |



Privacy Lever/Lever Latch

| Part# | Description |
|-------|---------------------------|
| DLLP | Privacy Lever/Lever Latch |



Passage Door Latch

| Part# | Description |
|-------|--------------------|
| DLPA | Passage Door Latch |



Entry Lockset and Deadbolt Combo

| Part# | Description |
|-------|----------------------------------|
| DLC | Entry Lockset And Deadbolt Combo |



Commercial 2 3/4" Keyed Lockset

Heavy-duty, backset, keyed lockset for commercial applications.

| Part# | Description | Size |
|-------|---|-------|
| DLS | Commercial Heavy-duty Keyed Backset Lockset | 2.75" |



Standard Keyed Lockset

A good quality keyed lockset with an adjustable backset.

| Part# | Description |
|-------|---|
| DLCK | Standard Keyed Door Lockset w/ Adjustable Backset |



Interior Privacy Lockset

| Part# | Description |
|-------|--|
| DLPI | Interior Privacy Lockset - Knob Both Sides |





Keyed Lever with Hidden Cylinder for Panic Bar

- The key cylinder is inside the lever handle.
- For panic bar only.

| Part# | Description |
|--------|--|
| DLEVER | Keyed Lever w/ Key Cylinder in Lever Handle for Panic Bar Only |



Keyed Lever with Exposed Cylinder for Panic Bar

- The key cylinder is above the lever handle.
- For panic bar only.

| Part# | Description |
|---------|---|
| DLEVERM | Keyed Lever w/ Key Cylinder Above Lever Handle for Panic Bar Only |



DDT100007



DDT100008

Kick Down Door Holders

| Part# | Description | Size |
|-----------|---------------------------------------|------|
| DDT100007 | Kick Down Door Holder - Cast Brass | 4" |
| DDT100008 | Kick Down Door Holder - Cast Aluminum | 4" |



Panic Bar

| Part# | Description |
|--------|-------------|
| DPANIC | Panic Bar |



Through Bolt for Closer and Panic Bar

| Part# | Description | Size |
|-------|---|-------|
| DTB | Thru Bolt for Closer and Panic Bar - 4 PK | 1.75" |



Commercial Door Hinges

| Part# | Description | Size |
|-----------|--------------------------------------|-------------|
| DHG100020 | Commercial Door Hinge | 4.5" x 5" |
| DHG100004 | Commercial Door Hinge w/ Ballbearing | 4.5" x 4.5" |



Pull Plate with Pull

| Part# | Description | Size |
|-----------|----------------------|------------|
| DDT100067 | Pull Plate with Pull | 3.5" x 15" |



Stainless Steel Commercial Push Plate

| Part# | Description | Size |
|-----------|---|------------|
| DDT100072 | Commercial Push Plate Satin Stainless Steel | 3.5" x 15" |



Stainless Steel Kick Plate


| Part# | Description | Size |
|-----------|----------------------------------|----------|
| DDT100055 | Kick Plate Satin Stainless Steel | 6" x 30" |
| DDT100056 | Kick Plate Satin Stainless Steel | 6" x 34" |
| DDT100072 | Kick Plate Satin Stainless Steel | 8" x 34" |



Overlapping Strike Plate for Double Doors

| Part# | Description |
|-------|---|
| DSP | Overlapping Strike Plate For Double Doors |





DLKB



DLKB9

Grizzly Lite Kit

| Part# | Description | Size |
|-------|---|-----------|
| DLKB | Window Lite Kit For Residential Doors - One Lite - No Grids | 22" x 36" |
| DLKB9 | Window Lite Kit to fit Vinyl Jamb 9 Lite Door | 22" x 36" |



Cannonball Lite Kits

| Part# | Description | Size |
|-------|---|-----------|
| DLKA | Non-insulated Lite Kit - Fits #52 Series Door | 20" x 24" |



600 Series Hydraulic Door Closer

- Heavy-duty commercial grade hydraulic door closer.
- 1 adjustable 1-4 spring power.
- Includes standard arm.

| Part# | Description |
|--------|--|
| DCLOSE | Hydraulic Door Closer 600 Series w/ Standard Arm |



600 Series Hydraulic Door Closer Arm

| Part# | Description |
|-----------|---|
| DCLOSEARM | Hold Open Arm Only for 600 Series Door Closer |



Dual Guard Threshold Tape

Self Adhering Tape to Protect Sub Floor from Moisture and Air Infiltration

| Part# | Description | Size |
|--------|---------------------------|------------|
| IWDGTT | Dual Guard Threshold Tape | 5.5" X 25' |